

## Bent Brewstillery

1744 Terrace Dr  
Roseville, MN 55113  
kristen@bentbrewstillery.com  
(763) 442-1169


Sample: 2310AIT0672.1544

Strain: n/a  
Batch#: ; Batch Size: g  
Sample Received: 10/24/2023; Report Created: 10/25/2023

## Baker's Dozen Maple Bacon Donut Craft Soft Soda – Batch #2

Ingestible, Beverage



	<p><b>0.002%</b> 8.6 mg/container 4.3 mg/serving</p> <p>Total THC</p>	<p><b>&lt;LOQ</b> &lt;LOQ &lt;LOQ</p> <p>Total CBD</p>	<p><b>0.002%</b> 8.6 mg/container 4.3 mg/serving</p> <p>Total Cannabinoids</p>
---	---	--	--

### Cannabinoids

Date Tested: 10/25/2023

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBD	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBG	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ9-THC	0.002	0.018	0.018	4.293	0.001
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.001

Method: HPLC

Total THC = THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %

LOQ = Limit of Quantitation


### Summary

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com





John Schmidt  
Analytical Chemist



Confident Cannabis  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.